

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
3 July 2003 (03.07.2003)


PCT

(10) International Publication Number
WO 03/053287 A1

- (51) International Patent Classification⁷: **A61F 2/06** (72) Inventor: **HARTLEY, David, Ernest**; 2 View Street, Subiaco, Western Australia 6008 (AU).
- (21) International Application Number: **PCT/US02/40663**
- (22) International Filing Date:
18 December 2002 (18.12.2002) (74) Agent: **GODLEWSKI, Richard, J.**; P.O. Box 2269, Bloomington, IN 47402-2269 (US).
- (25) Filing Language: **English** (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (26) Publication Language: **English**
- (30) Priority Data:
PR 9617 19 December 2001 (19.12.2001) AU (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK,

[Continued on next page]

(54) Title: **STENT GRAFT WITH IMPROVED GRAFT ADHESION**



(57) Abstract: A graft (1) having a band of fibrous material (13) on an outer surface thereof adjacent its proximal end (9). The band of fibrous material extends circumferentially around the graft to promote adhesion. The band can be continuous around the proximal end of the graft. The band can be formed from a patch of fibrous material, cut or loop pile velour, by fibres woven or knitted into the material of the graft or by brushing of material of the graft to raise fibres of the material of the graft. The band of fibrous material has a length of from 5 mm to 15 mm along the length of the graft.

WO 03/053287 A1



In Re: Hartley et al.
Application Serial No. 10/726,963
Date Filed: December 3, 2003



TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

STENT GRAFT WITH IMPROVED GRAFT ADHESION

DescriptionTechnical Field

This invention relates to endoluminal stent grafts and in particular to a stent graft for improving the adhesion or incorporation of such grafts into the wall of a lumen.

5 Background of the Invention

Throughout this specification when applied to a blood vessel the term distal, with respect to a stent graft or graft, is the end of the stent graft or graft furthest away in the direction of blood flow from the heart within a body lumen. The term proximal means the end of the stent graft or graft nearest to the heart in the
10 direction of blood flow. Where the invention is applied to other lumens of the human or animal body then corresponding terms such as caudal and cranial should be understood.

A surgical stent graft or graft may be placed into a lumen in the body by endoluminal techniques or by surgical techniques. Such a stent graft or graft is
15 constructed from biocompatible materials but it is desirable in the long term for such grafts to be actually incorporated into the wall of the body lumen and this requires that the tissue of the body lumen grows into the material of the graft.

It is known that tufts of fibrous material may be placed on grafts to enhance blood clotting and adhesion but such tufts do not promote complete
20 circumferential adhesion. Particularly when such grafts are deployed endoluminally it is desirable that the amount of fibrous material be kept to a minimum to ensure that the graft can be compressed into small enough volume to enable deployment while at the same time ensuring good adhesion of the graft.

Summary of the Invention

25 The object of this invention is to provide a graft with material to ensure good adhesion or incorporation of the graft into a lumen.

In one form therefore the invention is said to reside in a graft or stent graft having a band of fibrous material on an outer surface thereof adjacent a distal or a

- 2 -

proximal end thereof, the band of fibrous material extending circumferentially around the graft to promote adhesion and incorporation. Furthermore, the graft or stent graft can include separate bands of fibrous material extending circumferentially around the graft at both the distal and the proximal ends thereof to promote adhesion and incorporation.

Preferably the band is continuous around the proximal end of the graft.

In one embodiment the band is provided by patches of fibrous material around the proximal end of the graft. Alternatively the band of fibrous material is formed from velour or is provided by fibres woven or knitted into the material of the graft. The velour material may be loop pile material or cut pile material to present either loops of fibres or individual fibres to the wall of the vessel.

The band of fibrous material may alternatively be provided by brushing of the material of the graft to raise fibres of the material to provide the fibrous band.

In an alternative form, the invention may be said to reside in a graft having a continuous band of velour material adjacent a proximal end thereof, the continuous band of velour material extending circumferentially around the graft to promote adhesion.

In a further form, the invention may be said to reside in a continuous band of velour material around one end of a graft to provide adhesion against the wall of a lumen by ingrowth of the tissue of the wall into the velour material, the velour material being a continuous band around the graft.

In a further form, the invention may be said to reside in a stent graft adapted for insertion into an internal lumen of a patient to be incorporated therein, the stent graft comprising a substantially tubular body providing a fluid flow path and having a periphery defined by a biocompatible relatively impervious material wall, the wall having a proximal portion including a continuous external circumferential band of a fibrous biocompatible material.

In a further form, the invention may be said to reside in a stent graft adapted for implantation within a lumen in a human or animal body to reside therein, the stent graft having a proximal end and a distal end and a substantially tubular graft body formed from a relatively impervious biocompatible material, at least one

- 3 -

stent to maintain the patency of the stent graft, and a continuous circumferential band of fibrous material on the outside of the tubular graft body adjacent the proximal end of the stent graft.

5 It would be seen that by the various forms of the invention there is provided a continuous band of velour material or fibrous material around the outside of the proximal end of a stent graft for good adhesion of that end of the stent graft to the wall of a lumen.

10 It will be noted that the graft of the present invention is particularly useful in delivery devices when endoluminal deployment is used because the band is of a relatively short length with respect to the length of the graft and hence does not make the device when it is compressed for deployment significantly larger over the entire length of the device.

15 The band of fibrous material can be a band which is stitched onto the graft at the proximal end, it may be fibres woven or knitted into the material of the graft or where the graft itself is manufactured from a fibrous woven, knitted or non-woven material at which the proximal area of the graft may be brushed to raise the fibres to provide the fibrous band.

20 To ensure good adhesion the band may be in the region of 5 mm to 15 mm in length along the length of the graft.

In one preferred form of the invention, the invention is particularly related to a stent graft using self-expanding stents such as stainless steel or nitinol stents.

25 The relatively impervious material may be a knitted or woven biocompatible material such as a dacron or similar material or it may be a non-woven fibrous material or it may be a plastics material sheet formed into a graft tube or extruded into tubular form.

30 It is desirable that the band be continuous around the proximal end of the graft so that with fibrous ingrowth of the cells of the wall of the lumen into the band of fibrous material on the graft, union of the wall and graft is obtained which provides sealing for blood flow which could occur between the graft and the wall as well as prevention of movement of the graft longitudinally within the lumen. In so doing there is improved incorporation of the graft into the wall of the lumen.

- 4 -

Brief Description of the Drawing

This then generally describes the invention but to assist with understanding reference will now be made to the accompanying drawing which show preferred embodiments of the invention.

5 In the drawings,

Figure 1 shows a perspective view of a stent graft including the adhesion or incorporation arrangement according to one embodiment of the present invention;

Figure 2 shows a perspective view of a stent graft including the adhesion or incorporation arrangement according to an alternative embodiment of the present
10 invention;

Figure 3A shows a plan view of a stent graft shown in Figure 1 with a first form of velour pile;

Figure 3B shows a plan view of a stent graft shown in Figure 1 with an alternative form of velour pile; and

15 Figure 4 shows a detailed perspective view of a stent graft including an adhesion or incorporation arrangement of an alternative embodiment.

Detailed Description

Looking more closely at Figure 1 of the drawings it can be seen that in a stent graft comprising a graft material tube 1 which is held into a substantially
20 cylindrical shape by means of external expandable stents 3 in the main body of the graft material 1 and internal stents 5 at each end of the graft. These stents can be self-expanding of, for example, commercially available Gianturco, zigzag or Z stent using a spring like metal such as stainless steel, nitinol, or other alloy metals. These stents can also be balloon or mechanically expandable stents, which are also
25 commercially available.

The graft body has a proximal end 9 and a distal end 11.

In this particular embodiment, a proximally extending stent 7 is provided although this proximally extending stent is not essential to the invention.

Each stent 3, 5 and 7 is a Gianturco zig zag or Z stent manufactured from
30 nitinol or stainless steel and is self expanding from a compressed state, in which the stent graft can be introduced into the lumen, to the expanded state shown.

- 5 -

Extending circumferentially around the graft body 1 at the proximal end 9 is a continuous circumferential region 13 of fibres extending from the graft material. The continuous circumferential region is formed on the material of the graft 1 by portions of the fibrous material woven into the material or extending from the woven graft material. The portions of fibrous material may be in the form of a loop pile or a cut pile to present either loops of fibres or individual fibres to the wall of the vessel when deployed within a body lumen.

The graft may have a diameter in the range of 25 to 50 millimetres and a length of from 100 to 200 millimetres. The band 13 may have a length of from 5 to 15 millimetres and may be adjacent the end of the stent graft or spaced from the proximal end of the graft by a distance of up to 10 millimetres.

Figure 2 shows an alternative embodiment of the invention. In this embodiment the graft 1 is of substantially the same construction as shown in Figure 1 except that it does not have a proximally extending uncovered stent. Around the proximal end 19 of the graft 1 is a continuous band of velour material 20 fastened to the graft 1 by stitching 22 at the proximal end and 21 at the distal end of the velour band 20. The velour provides loops of fibrous material which can be incorporated into the wall of the lumen into which the graft is placed by fibrous ingrowth. This provides adhesion of the graft into the lumen. One again the velour material may be of loop pile or cut pile form.

The provision of the continuous band at the proximal end of the graft provides adhesion and incorporation around the entire circumference of the graft. The adhesion and incorporation around the entire circumference of the graft will prevent blood or other body fluid, depending upon the lumen into which it is introduced, from getting behind the wall of the graft. The adhesion and incorporation will also assist with preventing movement of the graft within the lumen.

Figure 3A and B show cross sectional plan views in the line 3 - 3' on the stent graft shown in Figure 1 but with different forms of velour pile.

Figure 3A shows loop pile velour as the continuous band 13a of fibrous material around the circumference of the graft 1.

Figure 3B shows cut pile velour as the continuous band 13b of fibrous

material around the circumference of the graft 1.

Figure 4 shows a detailed perspective view of part of a stent graft including an alternative adhesion arrangement for the proximal end of the stent graft. As with Figure 1 the stent graft has a bio-compatible woven material body 1 with a self expanding stent 5 inside the graft body 1 at the proximal end 9 to provide a good contact of the graft material with the wall of a lumen into which it is deployed. In this case the continuous band of fibrous material 25 is provided by brushing or similar means to raise fibres 26 from the material of the graft 1. The brushing can be with a wire brush or a hooking system may be used to raise some of the fibres in a continuous band around the graft.

This brushing or hooking can also be used with non-woven bio-compatible graft materials to raise a fibrous band around the circumference of a graft.

It may be noted that this specification has been particularly directed to the use of a velour band on the proximal end of a graft because that is the end of the graft which it is normally expected to get more blood pressure in the case where the lumen is a blood vessel and the proximal end in the case of an artery being the end nearer the heart. There may be situations, however, where the band of fibrous material may be placed around the distal end of a graft or at both ends and this invention is intended to cover those applications as well.

Throughout this specification various indications have been given as to the scope of this invention but the invention is not limited to any one of these but may reside in two or more of these combined together. The examples are given for illustration only and not for limitation.

Throughout this specification and the claims that follow unless the context requires otherwise, the words 'comprise' and 'include' and variations such as 'comprising' and 'including' will be understood to imply the inclusion of a stated integer or group of integers but not the exclusion of any other integer or group of integers.

- 7 -

Claims

1. A stent graft comprising:
a tubular graft having a distal end, a proximal end, and an outer surface;
at least one expandable stent disposed on said tubular graft; and
5 a band of fibrous material on said outer surface and adjacent at least one of
said distal end and said proximal end of said tubular graft, said band of fibrous
material extending circumferentially around said graft.
2. The stent graft as in Claim 1 wherein said band is continuous around said
proximal end of said tubular graft.
- 10 3. The stent graft as in Claim 1 wherein said band comprises a patch of fibrous
material fastened around said proximal end of said tubular graft.
4. The stent graft as in Claim 1 wherein said band of fibrous material includes
velour material.
5. The stent graft as in Claim 4 wherein said velour material includes a loop pile
15 velour material.
6. The stent graft as in Claim 4 wherein said velour material includes a cut pile
velour material.
7. The stent graft as in Claim 1 wherein said band of fibrous material includes
fibres woven or knitted into material of said graft.
- 20 8. The stent graft as in Claim 1 wherein said graft includes a graft material and
wherein said band of fibrous material comprises brushed raised fibres of said graft
material.
9. The stent graft as in Claim 1 wherein said band of fibrous material has a length
of from 5 mm to 15 mm along the length of said graft.
- 25 10. The stent graft as in Claim 1 wherein said at least one expandable stent
extends proximally from said proximal end of said tubular graft.
11. The stent graft as in Claim 1 wherein said stent graft further comprises
another band of fibrous material on said outer surface and adjacent a remaining one
of said distal end and said proximal end of said tubular graft, said other band of
30 fibrous material extending circumferentially around said graft.

- 8 -

12. A stent graft comprising:

a tubular graft having an outer surface and a proximal end;

at least one expandable stent disposed on said tubular graft; and

5 a continuous band of velour material adjacent said proximal end of said tubular graft, said continuous band of velour material extending circumferentially around said graft.

13. The stent graft as in Claim 12 wherein said continuous band of velour material is disposed on said outer surface of said tubular graft.

10 14. A stent graft adapted for insertion into an internal lumen of a patient to be incorporated therein, the stent graft comprising a substantially tubular body providing a fluid flow path and having a periphery defined by a biocompatible relatively impervious material wall, the wall having a proximal portion including a continuous external circumferential band of a fibrous biocompatible material.

15 15. The stent graft as in Claim 14 wherein the stent graft further comprises at least one stent to maintain the patency of the stent graft, and a continuous circumferential band of fibrous material on the outside of the tubular body adjacent the proximal end of the stent graft.

20

1/1




Fig 1




Fig 2




Fig 3A

Fig 3B




Fig 4

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 02/40663

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61F2/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|--|-----------------------|
| P,X | US 2002/052649 A1 (GREENHALGH E SKOTT) 2 May 2002 (2002-05-02) figures 1-9 paragraph '0023! - paragraph '0040! ---- | 1-15 |
| X | US 6 152 956 A (PIERCE GEORGE E) 28 November 2000 (2000-11-28) figures 7A,,8 column 7, line 39 -column 8, line 20 ---- | 1-4,10, 12-15 |
| A | US 4 871 366 A (VON RECUM ANDREAS F ET AL) 3 October 1989 (1989-10-03) column 4, line 34 -column 6, line 55 ---- | 1-15 |
| P,A | WO 02 22055 A (SCIMED LIFE SYSTEMS INC) 21 March 2002 (2002-03-21) page 8, line 13 -page 14, line 3 ----- | 1-15 |

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the International filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *S* document member of the same patent family

Date of the actual completion of the International search

12 May 2003

Date of mailing of the International search report

19/05/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Mary, C

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internati. Application No

PCT/US 02/40663

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|-------------------------------|--------------------------|
| US 2002052649 A1 | 02-05-2002 | AU 3077002 A WO 0235988 A2 | 15-05-2002 10-05-2002 |
| US 6152956 A | 28-11-2000 | NONE | |
| US 4871366 A | 03-10-1989 | US 4846834 A | 11-07-1989 |
| WO 0222055 A | 21-03-2002 | AU 8921301 A WO 0222055 A2 | 26-03-2002 21-03-2002 |